1 MAIN STREET (EAST) - DEMOLITION ELEVATION
3/16" = 1'-0"

DEMOLITION - ELEVATION GENERAL NOTES

1. EXISTING AND REQUIRED EXITS SHALL NOT BE OBSTRUCTED DURING DEMOLITION AND CONSTRUCTION.

2. IF OCCUPIED SPRINKLERS, FIRE ALARMS, ET. AL. SHALL REMAIN IN SERVICE.

3. PATCH AND REPAIR ALL SURFACES TO MATCH ADJACENT SURFACES WHERE DEMOLITION OCCURS.

4. IF DURING DEMOLITION CONDITIONS RE REVEALED THAT MAY JEOPARDIZE INTEGRITY OF STRUCTURE OR BUILDING SYSTEMS OR PRECLUDE FOLLOWING DESIGN INTENT, GENERAL CONTRACTOR WILL IMMEDIATELY NOTIFY ARCHITECT, OWNER AND PROJECT MANAGER. DO NOT PROCEED WITH WORK UNTIL APPROVED BY ARCHITECT.

5. GENERAL CONTRACTOR IS RESPONSIBLE FOR SITE INVESTIGATION PRIOR TO DEMOLITION TO REVEAL FULL SCOPE OF WORK.

6. LABEL ALL EXISTING ITEMS THAT ARE TO BE PROPERLY STORED FOR RE-INSTALLATION.

7. GENERAL CONTRACTOR TO COORDINATE DEMOLITION SO THAT IT WILL NOT DAMAGE EXISTING CONDITIONS TO REMAIN. DAMAGE TO EXISTING CONDITIONS THAT ARE TO REMAIN SHALL BE REPAIRED TO AS-NEW CONDITIONS.

8. REMOVE & RELOCATE EXPOSED ELECTRICAL CONDUITS FROM EXTERIOR FACADE. REF. ELECTRICAL DOCUMENTS.

EXISTING EIFS DEMOLITION NOTES:

CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS:

1. REMOVE EXISTING EIFS SYSTEM, PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.

2. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH.

3. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.257.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK
2520 MAIN STREET
LAKE PLACID, NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

AD-108
DEMOLITION - EXTERIOR ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



NORTH APPROACH - DEMOLITION ELEVATION
1 3/16" = 1'-0"

DEMOLITION - ELEVATION GENERAL NOTES

1. EXISTING AND REQUIRED EXITS SHALL NOT BE OBSTRUCTED DURING DEMOLITION AND CONSTRUCTION.

2. IF OCCUPIED SPRINKLERS, FIRE ALARMS, ET. AL. SHALL REMAIN IN SERVICE.

3. PATCH AND REPAIR ALL SURFACES TO MATCH ADJACENT SURFACES WHERE DEMOLITION OCCURS.

4. IF DURING DEMOLITION CONDITIONS RE REVEALED THAT MAY JEOPARDIZE INTEGRITY OF STRUCTURE OR BUILDING SYSTEMS OR PRECLUDE FOLLOWING DESIGN INTENT, GENERAL CONTRACTOR WILL IMMEDIATELY NOTIFY ARCHITECT, OWNER AND PROJECT MANAGER. DO NOT PROCEED WITH WORK UNTIL APPROVED BY ARCHITECT.

5. GENERAL CONTRACTOR IS RESPONSIBLE FOR SITE INVESTIGATION PRIOR TO DEMOLITION TO REVEAL FULL SCOPE OF WORK.

6. LABEL ALL EXISTING ITEMS THAT ARE TO BE PROPERLY STORED FOR RE-INSTALLATION.

7. GENERAL CONTRACTOR TO COORDINATE DEMOLITION SO THAT IT WILL NOT DAMAGE EXISTING CONDITIONS TO REMAIN. DAMAGE TO EXISTING CONDITIONS THAT ARE TO REMAIN SHALL BE REPAIRED TO AS-NEW CONDITIONS.

8. REMOVE & RELOCATE EXPOSED ELECTRICAL CONDUITS FROM EXTERIOR FACADE. REF. ELECTRICAL DOCUMENTS.

EXISTING EIFS DEMOLITION NOTES:

CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS:

1. REMOVE EXISTING EIFS SYSTEM, PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.

2. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH.

3. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.257.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK
2520 MAIN STREET
LAKE PLACID, NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1902
AUGUST 14, 2020

AD-109
DEMOLITION - EXTERIOR ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 PARKING AREA (WEST) - DEMOLITION ELEVATION
3/16" = 1'-0"

DEMOLITION - ELEVATION GENERAL NOTES

1. EXISTING AND REQUIRED EXITS SHALL NOT BE OBSTRUCTED DURING DEMOLITION AND CONSTRUCTION.

2. IF OCCUPIED SPRINKLERS, FIRE ALARMS, ET. AL. SHALL REMAIN IN SERVICE.

3. PATCH AND REPAIR ALL SURFACES TO MATCH ADJACENT SURFACES WHERE DEMOLITION OCCURS.

4. IF DURING DEMOLITION CONDITIONS RE REVEALED THAT MAY JEOPARDIZE INTEGRITY OF STRUCTURE OR BUILDING SYSTEMS OR PRECLUDE FOLLOWING DESIGN INTENT, GENERAL CONTRACTOR WILL IMMEDIATELY NOTIFY ARCHITECT, OWNER AND PROJECT MANAGER. DO NOT PROCEED WITH WORK UNTIL APPROVED BY ARCHITECT.

5. GENERAL CONTRACTOR IS RESPONSIBLE FOR SITE INVESTIGATION PRIOR TO DEMOLITION TO REVEAL FULL SCOPE OF WORK.

6. LABEL ALL EXISTING ITEMS THAT ARE TO BE PROPERLY STORED FOR RE-INSTALLATION.

7. GENERAL CONTRACTOR TO COORDINATE DEMOLITION SO THAT IT WILL NOT DAMAGE EXISTING CONDITIONS TO REMAIN. DAMAGE TO EXISTING CONDITIONS THAT ARE TO REMAIN SHALL BE REPAIRED TO AS-NEW CONDITIONS.

8. REMOVE & RELOCATE EXPOSED ELECTRICAL CONDUITS FROM EXTERIOR FACADE. REF. ELECTRICAL DOCUMENTS.

EXISTING EIFS DEMOLITION NOTES:

CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS:

1. REMOVE EXISTING EIFS SYSTEM, PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.

2. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDE A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH.

3. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.207.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK
2520 MAIN STREET
LAKE PLACID NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

AD-110
DEMOLITION - EXTERIOR ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 SOUTH APPROACH - DEMOLITION ELEVATION
3/16" = 1'-0"

DEMOLITION - ELEVATION GENERAL NOTES

1. EXISTING AND REQUIRED EXITS SHALL NOT BE OBSTRUCTED DURING DEMOLITION AND CONSTRUCTION.

2. IF OCCUPIED SPRINKLERS, FIRE ALARMS, ET. AL. SHALL REMAIN IN SERVICE.

3. PATCH AND REPAIR ALL SURFACES TO MATCH ADJACENT SURFACES WHERE DEMOLITION OCCURS.

4. IF DURING DEMOLITION CONDITIONS RE REVEALED THAT MAY JEOPARDIZE INTEGRITY OF STRUCTURE OR BUILDING SYSTEMS OR PRECLUDE FOLLOWING DESIGN INTENT, GENERAL CONTRACTOR WILL IMMEDIATELY NOTIFY ARCHITECT, OWNER AND PROJECT MANAGER. DO NOT PROCEED WITH WORK UNTIL APPROVED BY ARCHITECT.

5. GENERAL CONTRACTOR IS RESPONSIBLE FOR SITE INVESTIGATION PRIOR TO DEMOLITION TO REVEAL FULL SCOPE OF WORK.

6. LABEL ALL EXISTING ITEMS THAT ARE TO BE PROPERLY STORED FOR RE-INSTALLATION.

7. GENERAL CONTRACTOR TO COORDINATE DEMOLITION SO THAT IT WILL NOT DAMAGE EXISTING CONDITIONS TO REMAIN. DAMAGE TO EXISTING CONDITIONS THAT ARE TO REMAIN SHALL BE REPAIRED TO AS-NEW CONDITIONS.

8. REMOVE & RELOCATE EXPOSED ELECTRICAL CONDUITS FROM EXTERIOR FACADE. REF. ELECTRICAL DOCUMENTS.

EXISTING EIFS DEMOLITION NOTES:

CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS:

1. REMOVE EXISTING EIFS SYSTEM, PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.

2. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH.

3. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.371.4900

ARCHITECTURAL PERMIT SET FOR THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK

2520 MAIN STREET
LAKE PLACID, NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

AD-111

DEMOLITION - EXTERIOR ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 MAIN STREET (EAST) - RENOVATION
3/16" = 1'-0"

2 PERSPECTIVE - BUILDING LOOKING SOUTH ON MAIN STREET - RENOVATED FACADE

GENERAL NOTES FOR ELEVATION RENOVATIONS		EXISTING EIFS RENOVATION TREATMENT NOTES:	
1. NEW DOORS AND WINDOWS ARE TO BE PLACED IN EXISTING MASONRY OPENINGS. INFILL WITH CITED WALL TYPE AS NEEDED. 2. FIELD VERIFY ALL MASONRY OPENINGS RECEIVING DOOR, WINDOWS AND BUILDING SYSTEMS. 3. REF. I.D. DRAWINGS FOR EXTERIOR SIGNAGE SIZING AND LOCATIONS.	4. REF. I.D. DRAWINGS FOR EXTERIOR LIGHTING, LOCATIONS AND SPECIFICATIONS. 5. HVAC PLATFORMS AND SITE WORK TO BE COORDINATED WITH MEP AND CIVIL. 6. FINAL HEIGHT OF REAR ENTRY PORTICO TO BE DETERMINED IN CONJUNCTION WITH FINALIZED SITE PLAN.	CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS: 1. REMOVE EXISTING EIFS SYSTEM. PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.	2. STABILIZE EXISTING EIFS SYSTEM. PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH. 3. STABILIZE EXISTING EIFS SYSTEM. PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.257.4900

ARCHITECTURAL PERMIT SET FOR THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK

2520 MAIN STREET
LAKE PLACID NEW YORK
12946

Registered Architect Joshua D. Wright 041408 State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

A-201

RENOVATION - ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 NORTH APPROACH - RENOVATION
3/16" = 1'-0"

GENERAL NOTES FOR ELEVATION RENOVATIONS		EXISTING EIFS RENOVATION TREATMENT NOTES:	
1. NEW DOORS AND WINDOWS ARE TO BE PLACED IN EXISTING MASONRY OPENINGS. INFILL WITH CITED WALL TYPE AS NEEDED. 2. FIELD VERIFY ALL MASONRY OPENINGS RECEIVING DOOR, WINDOWS AND BUILDING SYSTEMS. 3. REF. I.D. DRAWINGS FOR EXTERIOR SIGNAGE SIZING AND LOCATIONS.	4. REF. I.D. DRAWINGS FOR EXTERIOR LIGHTING. LOCATIONS AND SPECIFICATIONS. 5. HVAC PLATFORMS AND SITE WORK TO BE COORDINATED WITH MEP AND CIVIL. 6. FINAL HEIGHT OF REAR ENTRY PORTICO TO BE DETERMINED IN CONJUNCTION WITH FINALIZED SITE PLAN.	CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS: 1. REMOVE EXISTING EIFS SYSTEM. PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.	2. STABILIZE EXISTING EIFS SYSTEM. PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH. 3. STABILIZE EXISTING EIFS SYSTEM. PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.207.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK
2520 MAIN STREET
LAKE PLACID, NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

A-202

RENOVATION - ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 PARKING LOT (WEST) - ELEVATION
3/16" = 1'-0"

GENERAL NOTES FOR ELEVATION RENOVATIONS		EXISTING EIFS RENOVATION TREATMENT NOTES:	
1. NEW DOORS AND WINDOWS ARE TO BE PLACED IN EXISTING MASONRY OPENINGS. INFILL WITH CITED WALL TYPE AS NEEDED. 2. FIELD VERIFY ALL MASONRY OPENINGS RECEIVING DOOR, WINDOWS AND BUILDING SYSTEMS. 3. REF. I.D. DRAWINGS FOR EXTERIOR SIGNAGE SIZING AND LOCATIONS.	4. REF. I.D. DRAWINGS FOR EXTERIOR LIGHTING, LOCATIONS AND SPECIFICATIONS. 5. HVAC PLATFORMS AND SITE WORK TO BE COORDINATED WITH MEP AND CIVIL. 6. FINAL HEIGHT OF REAR ENTRY PORTICO TO BE DETERMINED IN CONJUNCTION WITH FINALIZED SITE PLAN.	CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS: 1. REMOVE EXISTING EIFS SYSTEM, PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.	2. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH. 3. STABILIZE EXISTING EIFS SYSTEM, PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.257.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK
2520 MAIN STREET
LAKE PLACID NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

A-203

RENOVATION - ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 SOUTH APPROACH - ELEVATION
3/16" = 1'-0"

GENERAL NOTES FOR ELEVATION RENOVATIONS		EXISTING EIFS RENOVATION TREATMENT NOTES:	
1. NEW DOORS AND WINDOWS ARE TO BE PLACED IN EXISTING MASONRY OPENINGS. INFILL WITH CITED WALL TYPE AS NEEDED. 2. FIELD VERIFY ALL MASONRY OPENINGS RECEIVING DOOR, WINDOWS AND BUILDING SYSTEMS. 3. REF. I.D. DRAWINGS FOR EXTERIOR SIGNAGE SIZING AND LOCATIONS.	4. REF. I.D. DRAWINGS FOR EXTERIOR LIGHTING, LOCATIONS AND SPECIFICATIONS. 5. HVAC PLATFORMS AND SITE WORK TO BE COORDINATED WITH MEP AND CIVIL. 6. FINAL HEIGHT OF REAR ENTRY PORTICO TO BE DETERMINED IN CONJUNCTION WITH FINALIZED SITE PLAN.	CONFIRM STABILITY AND INTEGRITY OF EXISTING EIFS SYSTEM. CONSULT WITH ARCHITECT AND PROJECT MANAGER TO PROCEED WITH ONE OF THE FOLLOWING TREATMENT OPTIONS: 1. REMOVE EXISTING EIFS SYSTEM. PATCH AND REPAIR UNDERLYING EXISTING SUBSTRATE. PREPARE SURFACE FOR NEW DRAINAGE CIFS SYSTEM.	2. STABILIZE EXISTING EIFS SYSTEM. PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW CEMENTITIOUS FINISH. 3. STABILIZE EXISTING EIFS SYSTEM. PATCH AND REPAIR SURFACE AS NEEDED TO PROVIDED A CONTINUOUS SURFACE. CLEAN EXISTING SURFACE AND PREPARE EXISTING EIFS SYSTEM FOR NEW PAINT.

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.207.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK

2520 MAIN STREET
LAKE PLACID NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

A-204

RENOVATION - ELEVATIONS

COPYRIGHT JOSHUA D. WRIGHT 2020



1 BUILDING SECTION - RENOVATION - THROUGH CORRIDORS
3/16" = 1'-0"

Joshua D. Wright
Architect
519 NOELTON DRIVE
KNOXVILLE, TN 37919
865.257.4900

ARCHITECTURAL PERMIT SET FOR
THE GRAND ADIRONDACK HOTEL - LAKE PLACID, NEW YORK
2520 MAIN STREET
LAKE PLACID, NEW YORK
12946

Registered Architect
Joshua D. Wright
041408
State of New York
August 14, 2020

PROJECT # 1802
AUGUST 14, 2020

A-301
BUILDING SECTION - NORTH/SOUTH THROUGH CORRIDOR

COPYRIGHT JOSHUA D. WRIGHT 2020